

Grey Forecast Model for Accurate Recommendation in Presence of Data Sparsity and Correlation

Feng Xie^{*†}, Zhen Chen^{†‡}, Jiaying Shang^{*§}, Geoffrey C. Fox[§]

^{*}Department of Automation, Tsinghua University, Beijing, 100084, China

[†]Research Institute of Information Technology, Tsinghua University, Beijing, 100084, China

[‡]Tsinghua National Lab for Information Science and Technology, Beijing, 100084, China

[§]School of Informatics and Computing, Indiana University, Indiana, 47408, USA

{xie10, shangjx06}@mails.tsinghua.edu.cn, zhenchen@tsinghua.edu.cn, gcf@cs.indiana.edu

Abstract—Recommender systems attract growing attention recently, as they can suggest appropriate choices to users based on intelligent prediction. As one of the most popular recommender techniques, Collaborative Filtering achieves efficiency from the similarity measurement of users and items. However, existing similarity measurement methods have reduced accuracy due to data correlation and sparsity. To overcome these problems, this paper introduces the Grey Forecast model for recommender systems. Firstly, the Cosine Distance method is used to compute the similarities between items. Then we rank the items, which have been rated by the active user according to their similarities to the target item, which has not yet been rated by the active user and select the first k items' ratings as input to construct a Grey Forecast model and yield prediction. The novelty of the paper is two-fold: less data is required in constructing the model, and the model will become more effective when strong correlations exist among the data. Our approach was evaluated on two public datasets: MovieLens and EachMovie. The experimental results show that the proposed algorithm can significantly overcome the limitation of the data sparsity and cope with data correlation. In particular, the accuracy of the MovieLens dataset has been improved by over 20% in terms of Mean Absolute Error (MAE) and Root Mean Square Error (RMSE), even with small k .

Keywords—Recommender Systems; Collaborative Filtering; Grey Forecast Model; Correlation; Sparsity

1. INTRODUCTION

Recommender systems help users cope with information overload in a wide range of Web services and have been broadly adopted in various applications, such as E-commerce, online video sharing, and online news aggregators. It presents the most attractive and relevant items to the user based on individual user's characteristics. As one of the most promising recommender techniques [1], Collaborative Filtering (CF) predicts the potential interests of an active user by considering the opinions of users with similar taste. Compared to other recommender techniques (e.g. content based methods [2]), collaborative filtering technologies have the capability to recommend to users surprising items which are not similar to those they have seen before, and could work well in domains where the attribute content of items is difficult to parse. Generally, the representative Collaborative Filtering technique, memory based CF, has been widely used in many commercial systems due to its simple algorithm but

reasonably accurate recommendation. These capture the user's ratings on different items explicitly by asking the user or implicitly by observing his/her interaction with the systems to store them into a table known as the rating matrix. Then, memory based CF methods use similarity measurement methods to filter users (or items) that are similar to the active user (or the target item) and calculate the prediction from the ratings of these neighbors. Memory based methods can be further classified as user based method [3] or item based method [4] depending on whether the process of defining neighbors by finding similar users or similar items.

Despite its widespread adoption, memory based CF still suffers from several major problems including the data sparsity problem [1][8], data correlation problem [5], and cold start problem [6][7]. The cold start problem can be regarded as data sparsity problem. Hence, in this paper, we focus on the first two issues. In most recommender systems, each user rates only a small subset of the available items, thus, most of the entries in the rating matrix are empty. In these cases, it is a great challenge to find similar users or items. Consequently, the similarity between two users or items cannot be calculated and the prediction accuracy is very low. Furthermore, the active users always tend to consume similar commodities and the ratings for these items will be close, which produces strong correlations among the ratings. However, the existing similarity measurement methods, such as Cosine Distance and Pearson Correlation, cannot well cope with these issues. Therefore, we cannot directly use the similarities for rating prediction. To overcome these problems, some researchers have developed algorithms that use models to generate predictions [9][10][11]. However, many models are extremely complex, have multiple parameters to estimate and are sensitive to data changes. In practice, many of these theoretical models are not effective.

In this paper, we present novel approaches that aim at overcoming data sparsity limitations and benefiting from the data correlations among the ratings rather than eliminating them. More specifically, the proposed algorithm calculates the similarities between items with the simplest method, Cosine Distance measurement method. Note that, we do not use the exact value of the similarities, but rather just rank the items according to these similarities. Then a Grey Forecast model will be constructed and used for the rating prediction. This has been successfully adopted in many fields, such as

finance [12], integrated circuit industry [13], the market for air travel [14], and underground pressure for working surface [15]. We compare the performance of the proposed algorithm with traditional user based and item based methods in terms of two evaluation metrics MAE and RMSE on two datasets MovieLens and EachMovie. Our results provide empirical evidences that the Grey Forecast model indeed can cope well with data sparsity and correlation problems.

The remainder of this paper is organized as follows. Section 2 provides a detailed description of traditional user based CF method, item based CF method, the definition of the problem, and our contributions. Section 3 presents our proposed Grey Forecast model based algorithm in detail. Section 4 describes the experimental study, including experimental datasets, evaluation metrics, methodology, analysis of results, followed by a final section on conclusions and future work.

2. RELATED WORK

Collaborative Filtering (CF) is one of the most successful recommender techniques [16], and it includes memory based CF techniques such as similarity based or neighborhood based CF algorithm; model based CF techniques such as clustering CF algorithms; and hybrid CF techniques such as personality diagnosis. As a representative memory based CF technique, similarity based methods represent one of the most successful approaches to recommendation. They have been notably deployed into commercial systems and been extensively studied [1][17]. This class of algorithm can be further divided into user based and item based methods. The former is based on the basic assumption that people who have similar past preferences tend to agree in their future tastes. Hence, for the target user, the potential interest on an object is predicted according to the ratings from users who are similar to the target user. Differently from user based method, item based method recommends to a user the items that are similar to what the active user has consumed before. In a typical memory based CF scenario, there is a set of n users $U = \{u_1, u_2, \dots, u_n\}$ and a set of m items $I = \{i_1, i_2, \dots, i_m\}$, and the $n \times m$ user-item rating matrix. The ratings can either be explicit indications, such as an integer number from 1 to 5, or implicit indications, such as purchases or click-throughs [18]. For example, the implicit user behaviors (Table 1(a)) can be converted to a user-item rating matrix R (Table 1(b)), where the $R(k,l)$ in k -th row and l -th column of the matrix stands for the k -th user's rating for the l -th item. Would the k -th user have not rated the l -th item yet, the *null* value is assigned to $R(k,l)$. Thus, the recommendation problem is reduced to predicting the unrated entries (*Lily* is the active user that we want to make recommendations for in Table 1(b)). Generally, the process of this type of CF methods consists of two steps: similarity measurement and rating prediction.

2.1 Similarity Measurement

The critical step in memory based CF algorithms is the similarity computation between users or items. In user based CF method (UCF), the similarity $s(u_x, u_y)$ between users u_x and

TABLE 1. AN EXAMPLE OF A USER-ITEM RATING MATRIX

(a)		
User	Purchase	Not purchase
Alice	Milk, Bread, Cake	Beer
Lily	Milk, Bread	Cake, Beer
Lucy	Milk, Cake	Bread, Beer
Bob	Bread, Beer	Milk, Cake

(b)				
	Bread	Beer	Cake	Milk
Alice	1		1	1
Lily	1		?	1
Lucy			1	1
Bob	1	1		

and u_y is found by comparing the items that both have rated. For item based CF method (ICF), the similarity $s(i_x, i_y)$ between items i_x and i_y is determined by the users who have rated both of the two items. There are various methods to compute similarity between two users or items. The two most popular methods are Cosine Distance [2][19] and Pearson Correlation [2][19]. To define them, let I be the set of all items rated by both users u_x and u_y , and let U be the set of all users who have rated both items i_x and i_y . Then, the co-rated entries related to object o_k in $\{u_x, u_y, i_x, i_y\}$ form a d -dimensional vector, where d is equal to the size of set I or U . For example, in Table 1, the co-rated items of *Alice* and *Lucy* are *Cake* and *Milk*, therefore, d is equal to two in such case.

2.1.1 Cosine Distance

For Cosine Distance approach, the cosine of the angle between two vectors represents the similarity between them. It can be formulated as:

$$s(o_k, o_l) = \cos \theta = \frac{\vec{d}_{o_k} \cdot \vec{d}_{o_l}}{\|\vec{d}_{o_k}\| \|\vec{d}_{o_l}\|} \quad (1)$$

Where “ \cdot ” denotes the dot-product of two vectors, and “ $\|\cdot\|$ ” is the vector modulus. \vec{d}_{o_k} and \vec{d}_{o_l} are two d -dimensional vectors constructed by the interactions between object o_k and object o_l , where o_k and o_l can be the pair of u_x and u_y , or i_x and i_y . Therefore, the bigger the cosine of the angle (θ), the more similar the two objects will be.

2.1.2 Pearson Correlation

We should note that, in the computation of similarity, it is necessary to eliminate rating correlations, such as the average rating of the user, to improve the significance of similarity. The Pearson Correlation is one method of this type, which can improve the accuracy of similarity computation to some extent. For UCF, the Pearson Correlation between two users is:

$$s(u_x, u_y) = \frac{\sum_{i \in I} (r_{u_x, i} - \bar{r}_{u_x})(r_{u_y, i} - \bar{r}_{u_y})}{\sqrt{\sum_{i \in I} (r_{u_x, i} - \bar{r}_{u_x})^2} \sqrt{\sum_{i \in I} (r_{u_y, i} - \bar{r}_{u_y})^2}} \quad (2)$$

Where $r_{u_x, i}$, $r_{u_y, i}$ are the ratings of users u_x , u_y on item i and \bar{r}_{u_x} , \bar{r}_{u_y} are the average ratings of users u_x , u_y , respectively.

Similarly, for ICF, the Pearson Correlation between two items can be formulated as:

$$s(i_x, i_y) = \frac{\sum_{u \in U} (r_{u, i_x} - \bar{r}_{i_x})(r_{u, i_y} - \bar{r}_{i_y})}{\sqrt{\sum_{u \in U} (r_{u, i_x} - \bar{r}_{i_x})^2} \sqrt{\sum_{u \in U} (r_{u, i_y} - \bar{r}_{i_y})^2}} \quad (3)$$

Where r_{u,i_x} , r_{u,i_y} are the ratings of user u on items i_x , i_y and \bar{r}_{i_x} , \bar{r}_{i_y} are the average ratings of all users on items i_x , i_y , respectively.

2.2 Rating Prediction

The phase of rating prediction aims to predict the value that the active user will give to the target item. The KNN-based method is usually utilized to generate prediction by weighting sum of the ratings that similar users give to the target item or the ratings of the active user on similar items depending on whether one uses UCF or ICF.

2.2.1 User based CF (UCF)

The UCF algorithm is based on the basic assumption that people who share the similar past tastes will be interested in same items. The algorithm uses the following steps: the first step is to compute the similarities between users with the similarity measurement methods introduced in section 2.1; then one produces the prediction for the active user by taking the weighted average of all the ratings of the similar users on a certain item [20] according to the formula in (4); finally, the items with highest predicted ratings will be recommended to the user.

$$p_{u,i} = \bar{r}_u + \frac{\sum_{v \in U(u)} s(v,u)(r_{v,i} - \bar{r}_v)}{\sum_{v \in U(u)} |s(v,u)|} \quad (4)$$

Where \bar{r}_u and \bar{r}_v are the average ratings of users u and v , respectively; $s(v,u)$ is the similarity between user v and user u calculated using similarity measurement methods given in section 2.1; and $U(u)$ denotes the set of similar users of user u . $p_{u,i}$ is the prediction of user u on item i .

2.2.2 Item based CF (ICF)

The ICF algorithm recommends to users the items similar to those already consumed. Similarly, after calculating the similarities between items, the unknown rating of user u on item i can be represented as an aggregation of user u on similar items:

$$p_{u,i} = \bar{r}_i + \frac{\sum_{j \in I(i)} s(j,i)(r_{u,j} - \bar{r}_j)}{\sum_{j \in I(i)} |s(j,i)|} \quad (5)$$

Where \bar{r}_i and \bar{r}_j are the average ratings of all users on item i and item j , respectively; $s(j,i)$ is the similarity between item j and item i calculated using similarity measurement methods given in section 2.1; and $I(i)$ denotes the set of similar items of item i .

2.3 Problem Analysis

After using the co-rated entries as a vector to represent the object, the Cosine Distance measures the similarity between two users or items by computing the cosine of the angle. The bigger the value is, the more similar the two users or items will be. Pearson Correlation takes the rating correlation into consideration to eliminate the influence of average rating. Obviously, this class of similarity measurement method is a variation of Cosine Distance. Taking UCF as an example, we pick the items that both users have rated before, and then use the ratings of each user on

these items to construct a d -dimensional vector such as $(r_{u,i_1}, r_{u,i_2}, \dots, r_{u,i_d})$, where d is the number of co-rated items. If we subtract each element by the average rating of user u , the vector will be changed to $(r_{u,i_1} - \bar{r}_u, r_{u,i_2} - \bar{r}_u, \dots, r_{u,i_d} - \bar{r}_u)$. Then, the Pearson Correlation is equivalent to Cosine Distance. With Pearson Correlation, the accuracy of similarity computation can be improved to a certain extent. However, it still suffers from many issues.

- **Data Sparsity.** It's difficult to find co-rated entries when the data is sparse. For instance, *Bob* and *Lucy* have not consumed the same items before (Table 1). Thus, the similarity between them cannot be computed with existing methods given in section 2.1. Furthermore, the similarities between users or items may not be obtained in the same dimensionality. For example, *Alice* and *Lucy* both rated milk and cake (Table 1), the similarity between them is computed in 2-dimensional spaces; while *Bob* and *Lily* just have one co-rated entry, bread (Table 1), the similarity between them is computed in 1-dimensional space. The results are biased.
- **Data Correlation.** In this paper, data correlation corresponds to the common features hidden in the data coming from the similar attributes among users or items. For instance, people who like *Tom Cruise* tend to give similar rating to movies "Mission: Impossible III" and "Mission: Impossible 4"; people with same age will have similar taste, so the ratings on the same item will be close. These correlations among the ratings result in the non-orthogonal vector space since the elements in different dimensions are not independent. Although the Pearson Correlation has eliminated the influence of average rating, such rating correlation still exists. Therefore, the similarities computed with these similarity measurement methods are not accurate.

Because of these issues, in practice, the similarity between two users or items computed with Cosine Distance or Pearson Correlation is not accurate. Consequently, if we take a weighted average of the ratings using the similarities to produce the prediction directly, we may not get a good result. To take these problems into consideration, Xie et al. [21] utilized the statistical values of the ratings related to the object to form the vector for the similarity computation, which improved the accuracy of prediction. In this paper, we abstract these problems as data sparsity and data correlation, and use the Grey Forecast model for rating prediction.

2.4 Contributions

The process for Grey Forecast to make prediction can be described as: The Cosine Distance method is used to measure the similarity between two items. Then, a $m \times m$ similarity matrix will be generated, where m is the number of items. Although the similarity computation is not accurate, as has been discussed in section 2.3, the value can represent the degree of similarity. Thus, in our algorithm, we do not use the exact value of similarity but rather just rank the items according to them. Then, to generate the prediction of the active user u on item i , the k most similar items that have been rated by the active user to item i are chosen.

Finally, we use these items as input to construct a Grey Forecast model and predict the rating of the active user u on item i . If user u did not rate k items, the fixed value will be used to complete k ratings. Empirically, the fixed value can be the median value of rating scale. For example, when the rating scale is 1-to-5, number 3 is selected as the fixed value.

With this method, there are three main contributions in this paper:

- **Overcoming Data Sparsity.** Although the data is sparse and few items has been rated by each user, only a few neighbors are needed to construct the Grey Forecast model for our algorithm and the experimental results show that the prediction accuracy is still high even when k is equal to 5. Therefore, the proposed algorithm can efficiently address the data sparsity problem.
- **Benefiting From Data Correlation.** The stronger the data correlations are, the more accurate the Grey Forecast model will be. In other words, the proposed algorithm can efficiently benefit from the data correlations rather than eliminate them.
- **Obtaining Accurate Prediction.** We test our algorithm on two public datasets, MovieLens¹ and EachMovie². The experimental results compared with UCF and ICF (with Cosine Distance for similarity measurement) show that our algorithm gets better performance in prediction accuracy. Especially, with the MovieLens dataset, the accuracy has been improved by over 20% in terms of MAE. Moreover, the value of k can be very small without losing in accuracy.

3. PROPOSED ALGORITHM

Memory based CF algorithms aggregate ratings of similar users on the target item or ratings of active user on similar items to generate prediction. Consequently, the accuracy of prediction depends mainly on the similarity computation. However, when the data is sparse with strong correlations, existing similarity measurement methods cannot obtain accurate similarities between users or items. In other words, the similarities are not very accurate. Hence, we cannot use the similarities to produce a reliable prediction directly. In this paper, the Grey Forecast model is used for rating prediction. There are two steps: rating preprocessing and rating prediction.

3.1 Rating Preprocessing

Since the similarities between items computed by existing similarity measurement methods have value, we use them to preprocess the ratings. Firstly, for simplicity, the Cosine Distance method is utilized to compute the similarity between two items. Then a $m \times m$ similarity matrix will be generated, where m is the number of items. If we want to predict the unrated entry of user u on item i in the rating matrix, the k most similar items of item i that have been rated by user u are chosen. Note that, when user u didn't rate k items, the fixed value with lowest similarity will be used to complete k ratings. Finally, the k ratings are sorted according

to their similarities to item i to produce a rating sequence, where the rating with the highest similarity will stand last. In the next step, the proposed algorithm will take the rating sequence as input to construct the Grey Forecast model and forecast the rating that user u will give to item i . For instance, a fragment of a rating matrix with ratings in 1-to-5 scale is shown in Table 2. We want to predict the rating of user u_3 on item i_1 . According to the Cosine Distance, the similarities between item i_1 with other items ($i_2, i_3, i_4, i_5, i_6, i_7, i_8, i_9$, and i_{10}) are: 0.989, 0.789, 0.991, 0, 0.999, 0, 0.942, 0.857, and 0.999, respectively. If we set $k=3$, items i_3, i_4 , and i_9 will be selected, since they have been rated by user u_3 and have higher similarities with item i_1 . Then the rating sequence is (4, 3, 5). Furthermore, if we set $k=7$, since the number of items rated by user u_3 is less than 7, all ratings of items rated by user u_3 will be chosen and the median value of rating scale 3 will be used to complete seven ratings with lowest similarity. Then the rating sequence (3, 3, 5, 4, 4, 3, 5) is generated, and the first two numbers are replaced with 3 in the rating sequence. Note that, when two or more ratings have the same similarity but the values are not equal, the order is random.

The rating sequence has several special attributes:

- The correlations between them are strong, since they are the k most similar items to the target item. The similarities between them will be also very high. Hence, these ratings are regular not random.
- This sequence can be regarded as rating sequence sorted by time. The most similar item's rating can be regarded as the latest rating of active user, which will have the biggest contribution to the rating prediction of active user on the target item. This is the reason why we sort the ratings according to their similarities to the target item from low to high.

In these cases, the effective way for rating prediction is to find out the law hidden in the rating sequence and benefit from it.

3.2 Rating Prediction

Grey theory was originally developed by Deng in 1982 [22]. It mainly focuses on model uncertainty and information insufficiency in analyzing and understanding systems via research on conditional analysis, prediction and decision making. A recommender system can be regarded as a Grey system and with our algorithm, the Grey Forecast model is used to yield the rating prediction. The Grey Forecast model utilizes accumulated generation operations to build differential equations, which benefit from the data correlations. Meanwhile, it has another significant character of requiring less data so it overcomes data sparsity problem. The rating sequence generated in the phase of rating preprocessing is all that is needed as input for model constru-

TABLE 2. A FRAGMENT OF RATING MATRIX

	i_1	i_2	i_3	i_4	i_5	i_6	i_7	i_8	i_9	i_{10}
u_1	4	4		5		5		4	4	5
u_2	3	4	2			4		3		4
u_3	?		4	5	5		4		3	
u_4	1		3	2				3	4	

¹ <http://www.grouplens.org/>

² <http://www.kumpf.org/eachtoeach/eachmovie.html>

cting and future forecasting. These are the reason why we choose the Grey Forecast model for rating prediction, and the GM(1,1) method is adopted in this paper. GM(1,1) indicates a one variable and first order Grey Forecast model. The general procedure for a Grey Forecast model is derived as follows [23]:

Step 1: Assume the original rating sequence to be $r_u^{(0)}$

$$r_u^{(0)} = \{r^{(0)}(t)\}, \quad t = 1, 2, \dots, k. \quad (6)$$

Where $r^{(0)}(t)$ corresponds to the original rating of user u on the $(k-t+1)$ -th most similar item or the t -th value of the rating sequence. k is the number of neighbors or the length of the rating sequence and must be equal to or larger than 4.

Step 2: A new sequence $r_u^{(1)}$ is produced by the Accumulated Generating Operation (AGO).

$$r_u^{(1)} = \{r^{(1)}(t)\}, \quad t = 1, 2, \dots, k. \quad (7)$$

Where $r^{(1)}(t) = \sum_{j=1}^t r^{(0)}(j)$, $t = 1, 2, \dots, k$.

Step 3: Build a first-order differential equation.

$$dr^{(1)} / dt + az^{(1)} = b \quad (8)$$

Where $z^{(1)}(t) = \alpha r^{(1)}(t) + (1-\alpha)r^{(1)}(t+1)$, $t=1, 2, \dots, k-1$.

α ($0 < \alpha < 1$) denotes a horizontal developing coefficient. The selecting criterion of α is to yield the smallest prediction error rate. We conducted extensive experiments with different values of α , and find that when $\alpha < 0.5$, Grey Forecast model based method performs well. Therefore, in our experiments, we set $\alpha = 0.2$.

Step 4: From Step 3, we get the forecasting model GM(1,1):

$$\hat{r}^{(1)}(t+1) = (r^{(0)}(1) - b/a)e^{-at} + b/a \quad (9)$$

Where a is the development coefficient, and b is grey

action, and $\begin{bmatrix} a \\ b \end{bmatrix} = (B^T B)^{-1} B^T Y$, $B = \begin{bmatrix} -z^{(1)}(2) & 1 \\ -z^{(1)}(3) & 1 \\ \dots & \dots \\ -z^{(1)}(k) & 1 \end{bmatrix}$, $Y = \begin{bmatrix} r^{(0)}(2) \\ r^{(0)}(3) \\ \dots \\ r^{(0)}(k) \end{bmatrix}$.

Step 5: Inverse Accumulated Generation Operation (IAGO). Because the Grey Forecast model is formulated using the data of AGO rather than original data, we should use IAGO to convert the data of AGO to an actual rating prediction:

$$\begin{aligned} \hat{r}^{(0)}(t+1) &= \hat{r}^{(1)}(t+1) - \hat{r}^{(1)}(t) \\ &= (r^{(0)}(1) - b/a)e^{-at}(1 - e^a) \end{aligned} \quad (10)$$

When we set $t = k$, the rating prediction $p_{u,i}$ of user u on item i can be represented by $\hat{r}^{(0)}(k+1)$.

Obviously, during the estimate of parameters a and b in Step 4, a matrix inverse operation is needed. Hence, we cannot always forecast the ratings using Grey Forecast model. In these cases, the average of k ratings is used as the rating prediction of the active user on the target item.

4. EXPERIMENTAL RESULTS

In this section, we present the results of the experimental evaluation of our novel algorithm. We describe the datasets

used; the experimental methodology as well as the performance improvement compared to the traditional memory based collaborative filtering methods introduced in section 2.

4.1 Datasets

We deployed our proposed algorithm, as well as UCF and ICF methods on two standard datasets: MovieLens [24] and EachMovie [25]. Both of these are publicly available movie rating datasets. MovieLens rating sets were collected by GroupLens research from MovieLens web site (<http://movielens.umn.edu>). There are three different sizes of available datasets. In this paper, the MovieLens 1M was used, which consists of 1 million ratings (in 1-to-5 star scale) from 6,040 users on 3,952 movies. We also implemented the experiments on the other dataset, EachMovie, which was collected by DEC Systems Research Center. It consists of 2,811,983 numeric ratings of 74,424 users on 1,648 different movies (films and videos). Since the ratings are mapped linearly to the interval $[0, 1]$, for conveniently, we multiplied the ratings by 5, and deleted the records that ratings were zero. Finally, 2,464,792 ratings were obtained, which were in 1-to-5 rating scale. Table 3 summarizes the statistical properties of both datasets. The sparsity level of the dataset is computed as [1]:

$$\text{sparsity level} = \frac{\#total\ entries - \#rating\ entries}{\#total\ entries} \quad (11)$$

4.2 Metrics and Methodology

We perform 5-fold cross validation in our experiments. In each fold we have 80% of data as the training set and the remaining 20% as the test set. Since our work mainly focuses on the algorithm that can accurately predict a user's rating on a specific item, the Mean Absolute Error (MAE) and Root Mean Square Error (RMSE) are used in our evaluation. These two metrics are frequently utilized for measuring the differences between predicted ratings and the user's real ratings. MAE [26] and RMSE [27] are defined as:

$$MAE = \frac{\sum_{(u,i) \in T} |r_{u,i} - p_{u,i}|}{|T|} \quad (12)$$

$$RMSE = \sqrt{\frac{\sum_{(u,i) \in T} (r_{u,i} - p_{u,i})^2}{|T|}} \quad (13)$$

Where T is the set of all pairs (u, i) in the test set. To evaluate the performance of our proposed algorithm we compare three methods:

- **Grey Forecast model:** The novel rating prediction model adopted in this paper. Using Cosine Distance as the items' similarity measurement.

TABLE 3. STATISTICAL PROPERTIES OF MOVIELENS AND EACHMOVIE

	MovieLens	EachMovie
Users	6,040	74,424
Items	3,952	1,648
Ratings	1,000,000	2,464,792
Ratings Per User	165	33
Ratings Per Item	253	1495
Sparsity Level	95.81%	97.99%

- **User based CF:** This is well-known user based collaborative filtering method. The Cosine Distance measurement method computes the similarity between two users.
- **Item based CF:** This is also a memory based approach, which calculates the similarity between two items with Cosine Distance.

4.3 Experimental Results

Fig. 1 and Fig. 2 show the MAE and RMSE values of all three methods on the MovieLens dataset.

The Cosine Distance method is used for the similarity computation between users or items. Then we find k nearest neighbors for them, and k is adopted as 5, 10, 15, 30, 40, and 60, respectively. For Grey Forecast model, we set the horizontal developing coefficient $\alpha = 0.2$. Meanwhile, if certain user did not rate k items, the fixed value 3 will be used with lowest similarity so that the rating sequence will always have k numbers. The results illustrated in these two figures report that Grey Forecast model based method has the lowest prediction error. Moreover, as the k increases, UCF and Grey Forecast model based method can achieve better performance, while the prediction accuracy of ICF method decreases smoothly. Because the ratings per item are more than the ratings per user (Table 3), it is easy for UCF method to find users who have rated the specific item in k nearest neighbors. On the contrary, for ICF method, it is difficult to find items which are rated by the active user in the

k nearest neighbors. Therefore, UCF method presents higher accuracy than ICF method.

Similarly, Fig. 3 and Fig. 4 illustrate the MAE and RMSE values of all comparison methods on the EachMovie dataset. The experiment design and the parameters selection are the same.

These results also show that the Grey Forecast model based method can generate more accurate prediction than other two methods, and UCF method outperforms ICF method as measured by the error metrics. As the k increases, the Grey Forecast model based method and UCF method improve the prediction accuracy, while the performance of ICF method smoothly decreases. For better observation of the slight difference of performance among these three methods, we average the prediction error of different k values. Consequently, the MAE and RMSE values comparison of three methods on two datasets are illustrated in Fig. 5 and Fig. 6, respectively.

Obviously, for MovieLens dataset, the Grey Forecast model based method reduces the prediction error in terms of MAE by 31.9% and 40.3% compared to the UCF method and ICF method, respectively. It also reduces the prediction error of RMSE by 27.7% and 33.0% compared to the UCF method and ICF method, respectively. Similarly, for EachMovie dataset, the Grey Forecast model based method reduces the prediction error of MAE by 14.3% and 16.7% compared to the UCF method and ICF method, respectively.




Figure 1. The MAE value comparison of three methods on MovieLens dataset.




Figure 2. The RMSE value comparison of three methods on MovieLens dataset.




Figure 3. The MAE value comparison of three methods on EachMovie dataset.




Figure 4. The RMSE value comparison of three methods on EachMovie dataset.




Figure 5. The average MAE value comparison of three methods.




Figure 6. The average RMSE value comparison of three methods.

It also reduces the prediction error of RMSE by 13.1% and 15.0% compared to the UCF method and ICF method, respectively.

All the results are summarized in Table 4. Moreover, since the EachMovie dataset is sparser than the MovieLens dataset, the prediction accuracy in the MovieLens dataset outperforms that in the EachMovie dataset.

As described above, the Grey Forecast model based method yields more accurate prediction than traditional memory based CF. In our experiments, we also find that Grey Forecast model based method can achieve better performance even when the k value is very small. For the Grey Forecast model based method, we set k equal to 5 ($k_{GF}=5$), while we set k equal to 100 ($k_{CF}=100$) for the other two methods, UCF and ICF. The MAE and RMSE values are compared, and Table 5 summarizes the comparison results. GF stands for Grey Forecast model based method.

The results in Table 5 show that the Grey Forecast model based method can generate high accuracy prediction even when the selected neighbors are quite small. Although the number of nearest neighbors reaches up to 100, the UCF and ICF methods still suffer from low accuracy. Moreover, the UCF method outperforms the ICF method on both datasets.

The improvement of prediction error between the Grey Forecast model based method with 5 neighbors and the UCF method with 100 neighbors and ICF method with 100 neighbors are given in Table 6.

TABLE 4. IMPROVEMENT OF AVERAGE PREDICTION ERROR (IN %)

Dataset	Metrics	UCF	ICF
MovieLens	MAE	31.9	40.3
	RMSE	27.7	33.0
EachMovie	MAE	14.3	16.7
	RMSE	13.1	15.0

Obviously, the Grey Forecast model based method performs much better on the MovieLens dataset than on the EachMovie dataset. The reason lies on the fact that the EachMovie dataset is sparser than the MovieLens dataset. However, the Grey Forecast model based method generates more accurate prediction than the UCF and ICF methods on both datasets.

4.4 Time Complexity Analysis

Grey Forecast model has the similar time complexity with that of ICF method in constructing similarity matrix and finding neighbors because both of them compute the similarities between items, while UCF method computes the similarities between users to construct the similarity matrix. As the number of users is much larger than that of items in real systems, UCF method achieves the lowest efficiency in similarity matrix constructing. Furthermore, the similarity matrix constructing work can be done offline in practical applications. Therefore, we only consider about the time complexity of rating prediction. For UCF and ICF methods, the ratings of k_{CF} nearest neighbors are selected to compute the predicted score using (4) and (5), respectively, so the time complexities are $O(k_{CF})$. However, the Grey Forecast model based method need to construct the model with rating sequences and then generate predictions, which will exhibit high time complexity. It is observed that the rating sequence is very short, and each value is integer. Assume k_{GF} is the length of rating sequence, which is also the number of neighbors used in Grey Forecast model based method. Moreover, we assume the rating scale is s (ratings are from 1 to s). Therefore, there are only $s^{k_{GF}}$ combinations for the rating sequence. Different combination produces unique prediction. In our experiment design, the $s^{k_{GF}}$ predictions are generated offline and stored in memory. When a rating sequence is inputted, the binary search is used to find the result, and the time complexity decreases to $O(k_{GF}\log s)$. k_{GF} is much less than k_{CF} and the rating scale is also small, In the experiments, $k_{CF}=100$, $k_{GF}=5$, $s=5$, $s^{k_{GF}}=3125$, the storage space is less than 1M while $O(k_{GF}\log s) \ll O(k_{CF})$. Therefore, we sacrifice small storage space to achieve better time efficiency so that Grey Forecast model based method does not loss efficiency.

TABLE 5. THE MAE AND RMSE VALUE COMPARISON OF THREE METHODS WITH DIFFERENT K VALUE

Dataset	Metric	UCF(100)	ICF(100)	GF (5)
MovieLens	MAE	0.88	1.01	0.74
	RMSE	1.14	1.25	0.97
EachMovie	MAE	0.92	0.97	0.86
	RMSE	1.17	1.22	1.11

TABLE 6. IMPROVEMENT OF AVERAGE PREDICTION ERROR (IN %)

Dataset	Metrics	UCF(100)	ICF(100)
MovieLens	MAE	18.9	36.5
	RMSE	17.5	28.9
EachMovie	MAE	7.0	12.8
	RMSE	5.4	9.9

5. CONCLUSION AND FUTURE WORK

Since the existing similarity measurement methods, such as Cosine Distance and Pearson Correlation, cannot compute the similarities between users or items accurately when the data is sparse and there exists strong data correlations, user based CF and item based CF methods do not perform well in prediction accuracy. In this paper, we used the Grey Forecast model for rating prediction in recommender systems and conducted extensive experiments on two movie datasets, MovieLens and EachMovie. The experimental results demonstrated that Grey Forecast model based method can overcome data sparsity, benefit from data correlations, and outperform traditional memory based CF methods (user based and item based approaches). In particular, even when only 5 nearest neighbors are adopted, the Grey Forecast model based method still reduces the prediction error by over 18% and 30% on the MovieLens and 6% and 10% on the EachMovie in terms of MAE compared to user based and item based methods with 100 nearest neighbors, respectively.

It is a well studied topic to improve the accuracy of recommendation. In this paper, we adopt a mature forecasting model in economics, the Grey Forecast model, to gain high accuracy recommendation. It opens a new era that we can use advanced technologies of other fields to construct novel recommender algorithms, which can well cope with problems in recommender systems, such as data sparsity, data correlation, and cold start. As an effective rating prediction method, the Grey Forecast model still has room for improvement. In our future work, when the user didn't rate enough k items, we will use the average of the user's ratings on all items instead of the fixed value to complete k numbers. Moreover, we will also try to compare the performance with different similarity measurement methods for Grey Forecast model based method.

ACKNOWLEDGEMENT

Thanks professor Jun Li and Junwei Cao for the great help. This work is supported by Ministry of Science and Technology of China under National 973 Basic Research Program Grant No.2011CD302600, Grant No.2011CB302805, Grant No.2011CB302601, Grant No.2012CB315800, and this work is also supported by China NSFC A3 Program (No. 61161140320).

REFERENCES

- [1] Sarwar, B., Karypis, G., Konstan, J., and Riedl, J. 2000. Analysis of recommendation algorithms for e-commerce. *Proc. EC'00*, 158-167.
- [2] Adomavicius, G., and Tuzhilin, A. 2005. Toward the next generation of recommender systems: a survey of the state-of-the-art and possible extensions. *IEEE Trans. on Knowledge and Data Engineering* 17, 6 (June 2005), 734-749.
- [3] Resnick, P., Iacovou, N., Suchak, M., Bergstrom, P., and Riedl, J. 1994. Grouplens: an open architecture for collaborative filtering of netnews. *Proc. CSCW'94*, 175-186.
- [4] Sarwar, B., Karypis, G., Konstan, J., and Riedl, J. 2001. Item-based collaborative filtering recommendation algorithms. *Proc. WWW'01*, 285-295.
- [5] Cacheda, F., Carneiro, V., Fernández, D., and Formoso, V. 2011. Comparison of collaborative filtering algorithms: limitations of current techniques and proposals for scalable, high-performance recommender systems. *ACM Trans. on Web* 5, 1 (Feb. 2011), 2:1-2:33.
- [6] Hu, R., and Pu, P. 2011. Enhancing collaborative filtering systems with personality information. *Proc. RecSys'11*, 197-204.
- [7] Liu, N.N., Meng, X.R., Liu, C., and Yang, Q. 2011. Wisdom of the better few: cold start recommendation via representative based rating elicitation. *Proc. RecSys'11*, 37-44.
- [8] Ma, H., Zhou, T.C., Lyu, M.R., and King, I. 2011. Improving recommender systems by incorporating social contextual information. *ACM Trans. On Information Systems* 29, 2 (April 2011), 9:1-9:23.
- [9] Lemire, D., and Maclachlan, A. 2005. Slope one predictors for online rating-based collaborative filtering. *Proc. SDM'05*, 471-475.
- [10] Marlin, B.M., and Zemel, R.S. 2009. Collaborative prediction and ranking with non-random missing data. *Proc. RecSys'09*, 5-12.
- [11] Paterek, A. 2007. Improving regularized singular value decomposition for collaborative filtering. *Proc. KDDCup'07*, 39-42.
- [12] Hsu, L.C., and Wang, C.H. 2002. Grey forecasting the financial ratios. *The Journal of Grey System* 14, 4 (2002), 399-408. (In Chinese)
- [13] Hsu, L.C. 2003. Applying the grey prediction model to the global integrated circuit industry. *Technological Forecasting and Social Change* 70, 6 (July 2003), 563-574.
- [14] Hsu, C.I., and Wen, Y.H. 1998. Improved grey prediction models for the trans-pacific air passenger market. *Transportation Planning and Technology* 22, 2 (March 1998), 87-107.
- [15] Ma, D., Zhang, Q., Peng, Y., and Liu, S.J. 2011. A particle swarm optimization based grey forecast model of underground pressure for working surface. *Electronic Journal of Geotechnical Engineering* 16 H (2011), 811-830.
- [16] Konstan, J., Miller, B.N., Maltz, D., Herlocker, J.L., Gordon, L.R., and Riedl, J. 1997. GroupLens: applying collaborative filtering to usenet news. *Communication of the ACM* 40, 3 (March 1997), 77-87.
- [17] Linden, G., Smith, B., and York, J. 2003. Amazon.com recommendations: item-to-item collaborative filtering. *IEEE Internet Computing* 7, 1 (Jan./Feb. 2003), 76-80.
- [18] Miller, B.N., Konstan, J.A., and Riedl, J. 2004. PocketLens: toward a personal recommender system. *ACM Transactions on Information Systems* 22, 3 (July 2004), 437-476.
- [19] Herlocker, J.L., Konstan, J.A., Terveen, L.G., and Riedl, J.T. 2004. Evaluating collaborative filtering recommender systems. *ACM Transactions on Information Systems* 22, 1 (Jan. 2004), 5-53.
- [20] Herlocker, J.L., Konstan, J.A., Borchers, A., and Riedl, J. 1999. An algorithmic framework for performing collaborative filtering. *Proc. SIGIR '99*, 230-237.
- [21] Xie, F., Xu, M., and Chen, Z. 2012. RBRA: A simple and efficient rating-based recommender algorithm to cope with sparsity in recommender systems. *Proc. WAINA'12*, 306-311.
- [22] Deng, J.L. 1982. Control problems of grey systems. *Systems and Control Letters* 1, 5 (Oct. 1982), 288-294.
- [23] Hsu, L.C. 2001. The comparison of three residual modification models. *Journal of the Chinese Grey System Association* 4, 2 (2001), 97-110. (In Chinese)
- [24] Miller, B., Albert, I., Lam, S.K., Konstan, J.A., and Riedl, J. 2003. MovieLens unplugged: experiences with an occasionally connected recommender systems. *Proc. IUI'03*, 263-266.
- [25] Yu, K., Xu, X.W., Ester, M., and Kriegel, H.P. 2001. Selecting relevant instances for efficient and accurate collaborative filtering. *CIKM'01*, 239-246.
- [26] Karatzoglou, A., Amatriain, X., Baltrunas, L., and Oliver, N. 2010. Multiverse recommendation: n-dimensional tensor factorization for context-aware collaborative filtering. *RecSys '10*, 79-86.
- [27] Jamali, M., and Ester, M. 2010. A matrix factorization technique with trust propagation for recommendation in social networks. *RecSys'10*, 135-142.